

# Information for you

Published in February 2018, updated XXXX 2025

## Treatment for symptoms of the menopause

### About this information

This information is for you if you are considering treatment for symptoms of the menopause. It tells you about the available treatment options. It may also be helpful if you are a relative or friend of someone who wishes to have treatment for the symptoms of the menopause.

This information does not cover everything you may wish to know about the menopause. You can access more information through the information hub on menopause and women's health in later life on the Royal College of Obstetricians and Gynaecologists (RCOG) website at: <https://www.rcog.org.uk/for-the-public/menopause-and-later-life/>.

Within this leaflet we may use the terms 'woman' and 'women'. However, it is not only people who identify as women who may want to access this leaflet. Your care should be personalised, inclusive and sensitive to your needs whatever your gender identity.

A glossary of all medical terms used is available on the RCOG website at: <https://www.rcog.org.uk/for-the-public/a-z-of-medical-terms/>.

### Key points

- The menopause is when you stop having your periods.
- Premature menopause or premature ovarian insufficiency is when the menopause happens before the age of 40 years.
- Treatment options for the symptoms of the menopause include lifestyle changes, hormone replacement therapy (HRT) and alternative therapies.
- If you wish to consider treatment, your healthcare professional should discuss the benefits and risks of all the available options with you.

### What is the menopause?

The **menopause** is when you stop having your periods. It happens when your **ovaries** stop releasing eggs or your ovaries have been removed and the amount of **estrogen hormone** in your body falls. Most women in the UK have their menopause between the ages of 45 and 55 years, with the average age being 51 years.

Menopause can happen earlier in some women. If it occurs before the age of 40 years, it is known as premature menopause or premature ovarian insufficiency.

The time before your last period, when your estrogen levels are falling, is called the perimenopause. This can last from a few months to several years. Around half of all women notice physical and/or emotional symptoms during this time.

The most common symptoms are:

- hot flushes
- night sweats
- vaginal dryness
- low mood and/or feeling anxious
- joint and muscle pain
- loss of interest in having sex.

Every woman experiences the menopause differently. Some experience one or two symptoms, which may be mild, while others have more severe and distressing symptoms. Some women choose to go through the menopause without treatment, while others prefer some form of treatment to manage their symptoms, by using either **hormone replacement therapy (HRT)** or an alternative treatment.

## **Do I need any hormone tests before I can start treatment?**

If you have symptoms of the menopause and are over 45 years of age, you will not usually need any hormone tests to diagnose menopause. Your healthcare professional will offer you treatment based on your symptoms alone.

## **What are my options for the treatment of menopausal symptoms?**

Treatment options for menopausal symptoms include lifestyle changes, non-prescribed treatments and prescribed treatments.

### **Lifestyle changes**

Regular aerobic exercise, such as running and swimming, may help, as may low-intensity exercise, such as yoga. Reducing your intake of caffeine and alcohol may also help to reduce hot flushes and night sweats.

### **Non-prescribed treatments**

Not every woman chooses HRT for menopausal symptoms. This may be because of your own or family history, or because you have concerns about the safety or side effects of HRT. Treatment options available without prescription are discussed in this section.

## **Herbal medicines**

Plants or plant extracts, such as St John's wort, black cohosh and isoflavones (soya products), can help reduce hot flushes and night sweats for some women. However, their safety is unknown and they can react with other medicines that you may be taking for conditions such as breast cancer, epilepsy, heart disease or asthma. You should check with your healthcare professional before taking any herbal medicine.

Unlike conventional medicine, there is no legal obligation for herbal medicines to be licensed. Unlicensed products may vary greatly in their actual contents.

If you buy herbal products, look for a product licence or Traditional Herbal Registration (THR) number on the label (see image) to ensure that what you are buying has been checked for purity. It is advisable to buy remedies from a reputable source.



## **Alternative therapy**

Alternative therapies such as acupressure, acupuncture or homeopathy may help some women. More research is, however, required on the benefits from these therapies and, if they are used, this should be done with advice from qualified professionals.

## **Complementary therapy**

You may wish to try a complementary therapy, such as aromatherapy, although the effects of these therapies specifically on your menopausal symptoms are not well known.

## **Bioidentical hormones**

'Bioidentical' hormones are not regulated or licensed in the UK, as there is a lack of evidence that they are effective or safe to use.

## **Prescribed treatments**

### **Hormone replacement therapy (HRT)**

See the information on HRT below.

### **Non-hormonal medical treatment**

Your healthcare professional would need to prescribe non-hormonal medical treatments, such as clonidine or gabapentin for hot flushes.

### **Psychological treatments**

Cognitive behavioural therapy (CBT) is a type of psychological treatment. Your healthcare professional may recommend CBT for low mood or anxiety related to menopause.

## Hormone replacement therapy (HRT)

HRT is the most common form of prescribed treatment for menopausal symptoms. It helps to replace the hormone estrogen in your body, which decreases around your menopause. You may sometimes also need other hormones (such as **progestogen** and **testosterone**) that your body is no longer producing.

If you are interested in taking HRT, your healthcare professional should discuss the benefits and risks with you before you start the treatment. This discussion should cover both the short-term (over the next 5 years) and the longer term (beyond the next 5 years) benefits and risks for you.

Your healthcare professional should also tell you about available alternatives to HRT along with their benefits and risks.

## What are the different types of HRT?

The type of HRT that you are prescribed depends on your individual situation. If you have a **uterus (womb)**, your healthcare professional would recommend a combination of **estrogen** and progestogen HRT (combined HRT).

Estrogen alone can cause abnormal thickening of the lining of your uterus, which can lead to bleeding. Adding progestogen will prevent this. Progestogen comes in the form of tablets, patches or a hormone-containing coil.

If combined HRT is started before you have the menopause or within 12 months of your last period then you will be offered a 'cyclical' combined HRT, which should give you regular monthly withdrawal bleeds.

If you start combined HRT more than 12 months after your last period, your healthcare professional may recommend 'continuous' combined HRT (bleed-free HRT). You may have some vaginal bleeding in the first 3 months, but after this it should stop.

If you have had a **hysterectomy** then your healthcare professional will offer you estrogen-only HRT.

If you have a low sex drive after the menopause, your healthcare professional may offer you another hormone called testosterone. This is a hormone linked to sex drive in both men and women.

HRT is available as oral tablets, skin patches, injections, body gel or spray, or vaginal ring, cream or pessary.

## Is HRT safe and does it work?

The effects of HRT have been studied worldwide and research shows that, for most women, HRT works and is safe.

## What are the benefits of HRT?

- It is an effective treatment for hot flushes and low mood associated with the menopause.
- It can improve sexual desire and reduce vaginal dryness.
- It helps keep your bones strong by preventing osteoporosis.

## What are the risks of HRT?

- HRT with estrogen alone (used for women who have no uterus) is linked with little or no increased risk of breast cancer.
- HRT with estrogen and progestogen can increase your risk of breast cancer. This risk is higher the longer you stay on it and reduces when you stop HRT.
- Your individual risk of developing breast cancer depends on underlying risk factors, such as:
  - your body weight
  - your drinking and smoking habits
  - genetic factors.
- HRT taken as a tablet increases your risk of developing a blood clot. If you take HRT as a patch or gel, this does not apply to you.
- HRT in tablet form slightly increases your risk of stroke, although the overall risk of stroke is very low if you are under the age of 60 years.

Your healthcare professional should discuss your individual risks based on the research evidence at your consultation.

## Can I still have HRT if I have had breast cancer or clots in my legs or lungs?

HRT may still be an option for you and you should discuss this with your healthcare professional, who may seek advice or refer you to a menopause specialist.

## Can I take HRT if I have diabetes or high blood pressure?

HRT should not affect your blood sugar control. If you are diabetic or have very high blood pressure, your healthcare professional may consult with a specialist before prescribing HRT.

## Would taking HRT prevent dementia?

It is not known whether HRT affects the development of dementia.

## **Do I still need to use contraception when taking HRT?**

HRT does not provide contraception. If your last period happens after you are 50 years of age, you will need to keep using contraception for 1 year. If your last period happens before you are 50 years of age, you will need to keep using contraception for 2 years.

## **When should I seek advice after starting HRT?**

You should have a review appointment with your healthcare professional after 3 months of starting or changing HRT. If you are not having any issues, you should have a yearly appointment thereafter.

You may notice some vaginal bleeding in the first 3 months of starting or changing HRT. If you experience any bleeding after 3 months then you should see your healthcare professional straight away.

## **How long can I take HRT for?**

There are no set time limits for how long you can be on HRT. The benefits and risks of taking HRT will depend on your individual situation, and your healthcare professional should discuss these with you.

## **How do I stop HRT?**

You can stop your HRT suddenly or reduce gradually before stopping it. The chances of your symptoms coming back is the same either way.

## **Do I need a referral to a menopause specialist?**

If your menopausal symptoms are not responding to HRT or if it is not safe for you to take HRT, your healthcare professional may seek advice from, or refer you to, a menopause specialist.

## **I'm having hot flushes and night sweats. Which treatment is best for this?**

If you are having hot flushes and night sweats, your healthcare professional may offer you HRT after discussing its benefits and risks. You may wish to discuss the alternative options described above with your healthcare professional.

## **Which treatment is best for my low mood?**

HRT is an effective treatment for low mood. CBT is also helpful in treating low mood and anxiety related to the menopause.

Low mood because of the menopause is different from depression. Antidepressants are not helpful unless you have been diagnosed with depression. If you are on antidepressants, it is safe to take HRT as well as use CBT.

## Which treatment is best for my lack of interest in sex?

HRT containing estrogen and/or progesterone may be helpful as treatment for low sexual desire during menopause. If this does not work then you should talk to your healthcare professional about whether to consider another hormone called testosterone, which is linked to sex drive in both men and women.

## Which treatment is best for my vaginal dryness?

### Vaginal moisturisers and lubricants

Many women find using vaginal moisturisers and lubricants helpful for vaginal dryness. Ask your healthcare professional about the best one for you.

### Vaginal estrogen

Vaginal estrogen comes in the form of a tablet, cream, gel, pessary or ring. It can help with vaginal dryness and can be used with non-hormonal moisturisers and lubricants.

Vaginal estrogen is absorbed locally. Because only a small amount gets into the rest of the body, you do not have to take progesterone when taking vaginal estrogen. If you have a history of breast cancer, please ask your healthcare professional about using vaginal estrogen.

You can use low-dose vaginal estrogens for as long as you need to and you can safely use it with HRT. These can also reduce bladder infections and help urinary symptoms. If you have any unexpected vaginal bleeding, you should tell your healthcare professional.

Other treatments include:

- Prasterone: a vaginal pessary that releases estrogen
- Ospemifene: a tablet that increases estrogen activity in your vagina.

## Can I get help to pay for my HRT prescription?

In England, you may be able to reduce your prescription charge by obtaining an HRT Prepayment Certificate (HRT PPC). This costs £19.30 for 12 months and covers all HRT prescriptions for that period. See further information below.

## What is premature menopause (premature ovarian insufficiency) and what causes it?

This is when you go through the menopause before the age of 40 years. Usually, there is no cause for this. Some causes include surgery on the ovaries, chemotherapy, or radiotherapy to the pelvis.

Other less common causes include chromosomal problems, such as Turner syndrome, and autoimmune disease when the body's immune system attacks the developing eggs.

## How is premature menopause diagnosed?

If your periods come less often or stop before the age of 40 years and/or you experience menopausal symptoms, you should see your healthcare professional. You will be offered blood tests to measure your hormone levels to help diagnose premature menopause. The diagnosis is made after two blood tests are performed 4–6 weeks apart.

## Are there any health risks related to premature menopause?

You are likely to notice the symptoms of menopause, such as hot flushes and mood changes. There is also an increased risk of developing osteoporosis and cardiac disease in later life. Osteoporosis can lead to broken bones if not treated. Premature menopause will affect your **fertility**, and lower your chance of getting pregnant.

## What is the treatment for premature menopause?

Treatment for premature menopause involves the replacement of hormones in the form of either HRT or the combined oral contraceptive pill. Both are effective in treating hot flushes and keeping your bones strong.

While the combined oral contraceptive pill has the advantage of also providing contraception, HRT is a safer option if you have high blood pressure.

It is important for you to continue the treatment at least until the average age of natural menopause. By taking HRT, you are simply replacing the hormones your body is lacking, and so there are no added risks.

If you are thinking about getting pregnant, you will need a referral to a fertility specialist. Your healthcare professional may also suggest referral to a menopause specialist.

## Further information

RCOG Menopause Hub: <https://www.rcog.org.uk/for-the-public/menopause-and-later-life/>.

Menopause Matters: <https://menopausematters.co.uk>

Women's Health Concern: [www.womens-health-concern.org/](http://www.womens-health-concern.org/)

HM Government HRT PPC: <https://www.gov.uk/get-a-ppc/hrt-ppc>



## Making a choice

# Making a choice

## Ask 3 Questions

If you are asked to make a choice, you may have lots of questions that you want to ask. You may also want to talk over your options with your family or friends. It can help to write a list of the questions you want answered and take it to your appointment.



1. What are my options?
2. How do I get support to help me make a decision that is right for me?
3. What are the pros and cons of each option for me?

\*Ask 3 Questions is based on Shepherd HL, et al. Three questions that patients can ask to improve the quality of information physicians give about treatment options: A cross-over trial. *Patient Education and Counselling*, 2011;84: 379-85

<http://aqua.nhs.uk/resources/shared-decision-making-case-studies/>

## Sources and acknowledgements

This information has been developed by the RCOG Patient Information Committee. It is based on the National Institute for Health and Care Excellence (NICE) guideline 23 on *Menopause: Diagnosis and Management*, published in updated in November 2024. The guideline contains a full list of the sources of evidence we have used. You can find it online at: [www.nice.org.uk/guidance/ng23](http://www.nice.org.uk/guidance/ng23).

© Royal College of Obstetricians and Gynaecologists 2018